

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024  
Issue date: 7/8/2025 Revision date: 7/8/2025 Version: 1.0

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : GROUNDING VETIVER COUNTER CLEAN

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Cleaning concentrate (Concentrated detergent)

#### 1.4. Supplier's details

**Manufacturer**

Purdy & Figg Ltd  
9 Heron Business Park, Eastman Way,  
Hemel Hempstead, HP2 7FW  
United Kingdom  
T 020 31292255  
[info@purdyandfigg.com](mailto:info@purdyandfigg.com)

**Importer**

Purdy & Figg Inc  
131 Continental Drive Suite 305  
Newark, DE, 19713-4324  
USA  
T +1 (302) 261-3619

#### 1.5. Emergency phone number

Emergency number : 020 31292255

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

**GHS US classification**

Flammable liquid, Category 4	Combustible liquid.
Skin corrosion/irritation, Category 2	Causes skin irritation.
Serious eye damage/eye irritation, Category 1	Causes serious eye damage.
Skin sensitization, Category 1	May cause an allergic skin reaction.

#### 2.2. Label elements

**GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: Combustible liquid  
Causes skin irritation  
May cause an allergic skin reaction  
Causes serious eye damage

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Precautionary statements (GHS US)	: Ke If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust, fume, gas, mist, vapors, spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Store in a well-ventilated place. Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.
-----------------------------------	---

### 2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

### 2.4. Hazards not otherwise classified

No additional information available

### 2.5. Unknown acute toxicity

Not applicable

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Poly(oxy-1,2-ethanediyl), .alpha.-octyl-.omega.-hydroxy-	CAS-No.: 27252-75-1	10 - 30
D-Glucopyranose, oligomeric, decyl octyl glycosides	CAS-No.: 68515-73-1	7 - 15
Benzyl alcohol	CAS-No.: 100-51-6	3 - 7
Oils, orange, sweet	CAS-No.: 8008-57-9	1 - 7
Oils, coriander	CAS-No.: 8008-52-4	1 < 5
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	CAS-No.: 110615-47-9	1 - 5
L-Glutamic acid, N-coco acyl derivatives, disodium salts	CAS-No.: 68187-30-4	1 - 5
Oils, vetiver	CAS-No.: 8016-96-4	0.5 < 2.5
Oils, ho-sho	CAS-No.: 8022-91-1	0.5 < 2.5
Linalool	CAS-No.: 78-70-6	0.5 < 2.5

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

### SECTION 4 First aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: IF SWALLOWED: Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Immediately call a poison center or doctor/physician.

#### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing chemical pneumonia. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
-----------------------------------	--

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO <sub>2</sub> ), powder, alcohol-resistant foam, hazy water.
Unsuitable extinguishing media	: Do not use water jet.

#### 5.2. Specific hazards arising from the chemical

Fire hazard	: Combustible liquid. Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapors.
-------------	--

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Move containers away from the fire area if this can be done without risk. Cool closed containers exposed to fire with water spray.
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges.
------------------	---

#### For non-emergency personnel

No additional information available

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

### For emergency responders

Environmental precautions : Prevent entry to sewers and public waters.

### 6.2. Methods and materials for containment and cleaning up

For containment : Stop leak if safe to do so. Remove ignition sources. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

For further information refer to section 8: "Exposure controls/personal protection"

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from sources of ignition - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands, forearms and face thoroughly after handling.

### 7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Store locked up. Keep out of direct sunlight. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### Benzyl alcohol (100-51-6)

#### USA - AIHA - Occupational Exposure Limits

WEEL TWA	10 ppm
----------	--------

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment

#### Hand protection:

Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.

#### Eye protection:

Wear eye/face protection

#### Skin and body protection:

Wear suitable protective clothing

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	No data available.
Color	:	No data available
Odor	:	Characteristic; Vetiver
Odor threshold	:	No data available
pH	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	62 °C (143.6 F)
Flammability (solid, gas)	:	Combustible
Vapor pressure	:	No data available
Relative vapor density at 20°C	:	No data available
Relative density	:	No data available
Solubility	:	No data available
Partition coefficient n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Explosion limits	:	No data available
Particle characteristics	:	No data available

### Benzyl alcohol

Boiling point	205.3 °C (at 1013 hPa)
Flash point	100.4 °C (open cup)
Auto-ignition temperature	436 °C
Vapor pressure	0.03 hPa (at 20 °C)

### D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

Boiling point	> 301 °C (at 1013 hPa)
Vapor pressure	≤ 0.0077 Pa Temp.: 20 °C

### Poly(oxy-1,2-ethanediyl), .alpha.-octyl-.omega.-hydroxy-

Boiling point	204 °C (at 1020 hPa)
Flash point	107 °C Atm. press.: 102,2 kPa
Vapor pressure	7.72 Pa Temp.: 25 °C

### L-Glutamic acid, N-coco acyl derivatives, disodium salts

Boiling point	≥ 328 °C (at 1010 hPa)
Flash point	135.5 °C Atm. press.: 1013 hPa
Vapor pressure	≤ 0.000016 Pa Temp.: 20 °C

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

### Oils, orange, sweet

Boiling point	160 °C Atm. press.: 1026 hPa Remarks on result: 'other.'
Flash point	53.4 °C Remarks on result: 'other.'
Vapor pressure	186.4 Pa Temp.: 25 °C Remarks on result: 'other.'

### Linalool

Boiling point	196.3 °C Atm. press.: 99,2 kPa Decomposition: 'no' Decomp. temp.: 196,3 °C
Flash point	≈ 77.2 °C Atm. press.: 101,3 kPa
Auto-ignition temperature	235 °C
Vapor pressure	27 Pa Temp.: 298 K

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions. May form flammable/explosive vapor-air mixture.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Heat. Sources of ignition. Incompatible materials.

### 10.5. Incompatible materials

Strong acids. Strong alkalis. Oxidizing materials. Other chemical products.

### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. May release flammable gases. Irritating vapors.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

### Benzyl alcohol (100-51-6)

LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 oral	1580 mg/kg body weight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1410 - 1770
LD50 dermal rabbit	2 g/kg (Source: NLM_CIP)
LC50 inhalation rat	> 4178 mg/m³ (Exposure time: 4 h Source: ECHA_API)

### D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)

LD50 oral rat	> 5000 mg/kg (Source: ECHA)
---------------	-----------------------------

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

<b>D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)</b>	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA)
<b>L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)</b>	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
<b>Oils, orange, sweet (8008-57-9)</b>	
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
<b>D-Glucopyranose, oligomeric, decyl octyl glycosides (68515-73-1)</b>	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
<b>Oils, vetiver (8016-96-4)</b>	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
<b>Linalool (78-70-6)</b>	
LD50 oral rat	2790 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 oral	3120 mg/kg body weight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2620 - 3620
LD50 dermal rabbit	5610 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
<b>Oils, coriander (8008-52-4)</b>	
LD50 oral rat	4130 mg/kg (Source: NLM_CIP)
<b>Oils, ho-sho (8022-91-1)</b>	
LD50 oral rat	3270 mg/kg (Source: NLM_CIP)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
<b>Benzyl alcohol (100-51-6)</b>	
NOAEL (oral, rat, 90 days)	400 mg/kg body weight Animal: rat, Guideline: other: OECD Guideline 451 (Carcinogenicity Studies)
<b>D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)</b>	
NOAEL (oral, rat, 90 days)	1000 mg/kg body weight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
<b>L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)</b>	
NOAEL (oral, rat, 90 days)	≈ 1200 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
<b>Linalool (78-70-6)</b>	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Aspiration hazard	: Not classified.
<b>GROUNDING VETIVER COUNTER CLEAN</b>	
Viscosity, kinematic	No data available
<b>Benzyl alcohol (100-51-6)</b>	
Viscosity, kinematic	4.847 mm <sup>2</sup> /s

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

### D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)

Viscosity, kinematic	No data available
----------------------	-------------------

### Poly(oxy-1,2-ethanediyl), .alpha.-octyl-.omega.-hydroxy- (27252-75-1)

Viscosity, kinematic	No data available
----------------------	-------------------

### L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)

Viscosity, kinematic	No data available
----------------------	-------------------

### Oils, orange, sweet (8008-57-9)

Viscosity, kinematic	1.17 mm <sup>2</sup> /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm <sup>2</sup> /s)' Remarks on result: 'other:'
----------------------	--

### D-Glucopyranose, oligomeric, decyl octyl glycosides (68515-73-1)

Viscosity, kinematic	No data available
----------------------	-------------------

### Oils, vetiver (8016-96-4)

Viscosity, kinematic	No data available
----------------------	-------------------

### Linalool (78-70-6)

Viscosity, kinematic	5.192 mm <sup>2</sup> /s
----------------------	--------------------------

### Oils, coriander (8008-52-4)

Viscosity, kinematic	No data available
----------------------	-------------------

### Oils, ho-sho (8022-91-1)

Viscosity, kinematic	No data available
----------------------	-------------------

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Ecology - general	: May cause long-term adverse effects in the aquatic environment.
-------------------	---

Hazardous to the aquatic environment, short-term (acute)	: Not classified
--	------------------

Hazardous to the aquatic environment, long-term (chronic)	: Not classified
---	------------------

### Benzyl alcohol (100-51-6)

LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
-----------------	--

EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
----------------------	---

LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
-----------------	---

EC50 72h - Algae [1]	770 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
----------------------	--

EC50 72h - Algae [2]	500 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
----------------------	--

EC50 96h - Algae [1]	76828 mg/l Test organisms (species): other:
----------------------	---

NOEC (chronic)	51 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
----------------	--

NOEC chronic fish	48897 mg/l Test organisms (species): other: Duration: '30 d'
-------------------	--

### D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)

LC50 - Fish [1]	2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
-----------------	--

EC50 - Crustacea [1]	7 mg/l Test organisms (species): Daphnia magna
----------------------	--

LC50 - Fish [2]	5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
-----------------	---

EC50 - Crustacea [2]	14 mg/l Test organisms (species): Daphnia magna
----------------------	---

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

### Poly(oxy-1,2-ethanediyl), .alpha.-octyl-.omega.-hydroxy- (27252-75-1)

EC50 - Crustacea [1]	40 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	14 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

### L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)

LC50 - Fish [1]	62.4 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	49 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	195 mg/l Test organisms (species): Leuciscus idus

### D-Glucopyranose, oligomeric, decyl octyl glycosides (68515-73-1)

LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 72h - Algae [1]	27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

### Linalool (78-70-6)

LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [2]	156.7 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

## 12.2. Persistence and degradability

### GROUNDING VETIVER COUNTER CLEAN

Persistence and degradability	Not established.
-------------------------------	------------------

### Benzyl alcohol (100-51-6)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### Poly(oxy-1,2-ethanediyl), .alpha.-octyl-.omega.-hydroxy- (27252-75-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### Oils, orange, sweet (8008-57-9)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### D-Glucopyranose, oligomeric, decyl octyl glycosides (68515-73-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### Oils, vetiver (8016-96-4)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### Linalool (78-70-6)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### Oils, coriander (8008-52-4)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

### Oils, ho-sho (8022-91-1)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

## 12.3. Bioaccumulative potential

### GROUNDING VETIVER COUNTER CLEAN

Bioaccumulative potential	Not established.
---------------------------	------------------

### Benzyl alcohol (100-51-6)

Partition coefficient n-octanol/water	1.05
---------------------------------------	------

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

### L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)

Partition coefficient n-octanol/water : ≤ -4.48 (at 20 °C)

### Linalool (78-70-6)

Partition coefficient n-octanol/water : 2.9 (at 20 °C (at pH 7))

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

Other information : No other effects known.

## SECTION 13 Disposal considerations

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapors are flammable.

## SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

### 14.1. UN number

UN-No. (DOT) : NA1993

UN-No. (IMDG) : Not regulated

UN-No. (IATA) : Not regulated

### 14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Combustible liquid, n.o.s. (Benzyl alcohol; Oils, orange, sweet)

Proper Shipping Name (IMDG) : Not regulated

Proper Shipping Name (IATA) : Not regulated

### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT) : Combustible liquid

#### IMDG

Transport hazard class(es) (IMDG) : Not regulated

#### IATA

Transport hazard class(es) (IATA) : Not regulated

### 14.4. Packing group

Packing group (DOT) : III

Packing group (IMDG) : Not regulated

Packing group (IATA) : Not regulated

### 14.5. Environmental hazards

Other information : No supplementary information available.

# GROUNDING VETIVER COUNTER CLEAN

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

### 14.6. Transport in bulk

Not applicable

### 14.7. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

## SECTION 15 Regulatory information

### 15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

### 15.2. International regulations

No additional information available

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16 Other information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Revision date : 7/8/2025  
Issue date : 7/8/2025  
Other information : None.  
Prepared by : Nexreg Compliance Inc.  
[www.Nexreg.com](http://www.Nexreg.com)



Safety Data Sheet (SDS), USA

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.