

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024
Issue date: 7/8/2025 Revision date: 7/8/2025 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Product name : UPLIFTING CITRUS COUNTER CLEAN

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Cleaning concentrate (Concentrated detergent)

1.4. Supplier's details

Manufacturer

Purdy & Figg Ltd
9 Heron Business Park, Eastman Way,
Hemel Hempstead, HP2 7FW
United Kingdom
T 020 31292255
info@purdyandfigg.com

Importer

Purdy & Figg Inc
131 Continental Drive Suite 305
Newark, DE, 19713-4324
USA
T +1 (302) 261-3619

1.5. Emergency phone number

Emergency number : 020 31292255

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquid, Category 4
Skin corrosion/irritation, Category 2
Serious eye damage/eye irritation, Category 1
Skin sensitization, Category 1
Aspiration hazard, Category 1

Combustible liquid.
Causes skin irritation.
Causes serious eye damage.
May cause an allergic skin reaction.
May be fatal if swallowed and enters airways.

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

: Danger

Hazard statements (GHS US) :

: Combustible liquid
May be fatal if swallowed and enters airways
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye damage

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Precautionary statements (GHS US)	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust, fume, gas, mist, vapors, spray. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. Store in a well-ventilated place. Store locked up. Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.
-----------------------------------	--

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

Not applicable

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Poly(oxy-1,2-ethanediyl), .alpha.-octyl-.omega.-hydroxy-	CAS-No.: 27252-75-1	10 - 30
Polyglyceryl-3 Caprate	CAS-No.: 133654-02-1	5 – 10
Benzyl alcohol	CAS-No.: 100-51-6	3 – 7
Oils, orange, sweet	CAS-No.: 8008-57-9	1 – 5
Oils, grapefruit	CAS-No.: 8016-20-4	1 – 5
Oils, niaouli	CAS-No.: 8014-68-4	1 – 5
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	CAS-No.: 110615-47-9	1 – 5
L-Glutamic acid, N-coco acyl derivatives, disodium salts	CAS-No.: 68187-30-4	1 – 5
Balsams, copaiba	CAS-No.: 8001-61-4	0.1 – 1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
-------------------------------------	---

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

First-aid measures after skin contact	:	IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	:	IF SWALLOWED: Immediately call a poison center or doctor/physician. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	:	May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	:	Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	:	Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	:	May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing chemical pneumonia. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	:	Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
-----------------------------------	---	--

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	:	Carbon dioxide (CO ₂), powder, alcohol-resistant foam, hazy water.
Unsuitable extinguishing media	:	Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard	:	Combustible liquid. Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapors.
-------------	---	--

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	:	Move containers away from the fire area if this can be done without risk. Cool closed containers exposed to fire with water spray.
Protection during firefighting	:	Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	:	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges.
------------------	---	---

For non-emergency personnel

No additional information available

For emergency responders

Environmental precautions	:	Prevent entry to sewers and public waters.
---------------------------	---	--

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

6.2. Methods and materials for containment and cleaning up

- For containment

:

Stop leak if safe to do so. Remove ignition sources. Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
- Methods for cleaning up

:

Sweep or shovel spills into appropriate container for disposal. Provide ventilation.
- For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling

:

Keep away from sources of ignition - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Do not get in eyes, on skin, or on clothing.
- Hygiene measures

:

Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including incompatibilities

- Storage conditions

:

Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Store locked up. Keep out of direct sunlight. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Benzyl alcohol (100-51-6)	
USA - AIHA - Occupational Exposure Limits	
WEEL TWA	10 ppm

8.2. Appropriate engineering controls

- Appropriate engineering controls

:

Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.
- Environmental exposure controls

:

Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:
Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.
Eye protection:
Wear eye/face protection
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.
Other information:
Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available.
Color	: No data available
Odor	: Citrus
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 62 °C (143.6 F)
Flammability (solid, gas)	: Combustible
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available

Benzyl alcohol

Boiling point	205.3 °C (at 1013 hPa)
Flash point	100.4 °C (open cup)
Auto-ignition temperature	436 °C
Vapor pressure	0.03 hPa (at 20 °C)

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

Boiling point	> 301 °C (at 1013 hPa)
Vapor pressure	≤ 0.0077 Pa Temp.: 20 °C

Poly(oxy-1,2-ethanediyl), .alpha.-octyl-omega.-hydroxy-

Boiling point	204 °C (at 1020 hPa)
Flash point	107 °C Atm. press.: 102,2 kPa
Vapor pressure	7.72 Pa Temp.: 25 °C

L-Glutamic acid, N-coco acyl derivatives, disodium salts

Boiling point	≥ 328 °C (at 1010 hPa)
Flash point	135.5 °C Atm. press.: 1013 hPa
Vapor pressure	≤ 0.000016 Pa Temp.: 20 °C

Oils, orange, sweet

Boiling point	160 °C Atm. press.: 1026 hPa Remarks on result: 'other:'
Flash point	53.4 °C Remarks on result: 'other:'
Vapor pressure	186.4 Pa Temp.: 25 °C Remarks on result: 'other:'

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

SECTION 10 Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions. May form flammable/explosive vapor-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Sources of ignition. Incompatible materials.

10.5. Incompatible materials

Strong acids. Strong alkalis. Oxidizing materials. Other chemical products.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. May release flammable gases. Irritating vapors.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation)	:	Not classified

Benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 oral	1580 mg/kg body weight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1410 - 1770
LD50 dermal rabbit	2 g/kg (Source: NLM_CIP)
LC50 inhalation rat	> 4178 mg/m³ (Exposure time: 4 h Source: ECHA_API)

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)	
LD50 oral rat	> 5000 mg/kg (Source: ECHA)
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA)

L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

Oils, orange, sweet (8008-57-9)	
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)

Oils, grapefruit (8016-20-4)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)

Balsams, copaiba (8001-61-4)	
LD50 oral rat	3790 µl/kg (Source: NLM_CIP)

Skin corrosion/irritation	:	Causes skin irritation.
Serious eye damage/irritation	:	Causes serious eye damage.
Respiratory or skin sensitization	:	May cause an allergic skin reaction.
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified
Reproductive toxicity	:	Not classified

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Benzyl alcohol (100-51-6)

NOAEL (oral, rat, 90 days) : 400 mg/kg body weight Animal: rat, Guideline: other: OECD Guideline 451 (Carcinogenicity Studies)

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)

NOAEL (oral, rat, 90 days) : 1000 mg/kg body weight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)

L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)

NOAEL (oral, rat, 90 days) : \approx 1200 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

Aspiration hazard : May be fatal if swallowed and enters airways.

UPLIFTING CITRUS COUNTER CLEAN

Viscosity, kinematic : No data available

Benzyl alcohol (100-51-6)

4.847 mm²/s

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)

Viscosity, kinematic : No data available

Poly(oxy-1,2-ethanediyl), .alpha.-octyl-.omega.-hydroxy- (27252-75-1)

Viscosity, kinematic : No data available

L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)

Viscosity, kinematic : No data available

Polyglyceryl-3 Caprate (133654-02-1)

Viscosity, kinematic : No data available

Oils, orange, sweet (8008-57-9)

Viscosity, kinematic : 1.17 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' Remarks on result: 'other:'

Oils, grapefruit (8016-20-4)

Viscosity, kinematic : No data available

Oils, niaouli (8014-68-4)

Viscosity, kinematic : No data available

Balsams, copaiba (8001-61-4)

Viscosity, kinematic : No data available

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.
Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. May result in aspiration into the lungs, causing chemical pneumonia. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 72h - Algae [1]	770 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	500 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	76828 mg/l Test organisms (species): other:
NOEC (chronic)	51 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	48897 mg/l Test organisms (species): other: Duration: '30 d'
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)	
LC50 - Fish [1]	2.95 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	7 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	5.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [2]	14 mg/l Test organisms (species): Daphnia magna
Poly(oxy-1,2-ethanediyl), .alpha.-octyl-.omega.-hydroxy- (27252-75-1)	
EC50 - Crustacea [1]	40 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	14 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)	
LC50 - Fish [1]	62.4 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	49 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	195 mg/l Test organisms (species): Leuciscus idus

12.2. Persistence and degradability

UPLIFTING CITRUS COUNTER CLEAN	
Persistence and degradability	Not established.
Benzyl alcohol (100-51-6)	
Persistence and degradability	Rapidly degradable
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides (110615-47-9)	
Persistence and degradability	Rapidly degradable
Poly(oxy-1,2-ethanediyl), .alpha.-octyl-.omega.-hydroxy- (27252-75-1)	
Persistence and degradability	Rapidly degradable
L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)	
Persistence and degradability	Rapidly degradable
Polyglyceryl-3 Caprate (133654-02-1)	
Persistence and degradability	Rapidly degradable
Oils, orange, sweet (8008-57-9)	
Persistence and degradability	Rapidly degradable
Oils, grapefruit (8016-20-4)	
Persistence and degradability	Rapidly degradable
Oils, niaouli (8014-68-4)	
Persistence and degradability	Rapidly degradable
Balsams, copaiba (8001-61-4)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

UPLIFTING CITRUS COUNTER CLEAN	
Bioaccumulative potential	Not established.
Benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water	1.05

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

L-Glutamic acid, N-coco acyl derivatives, disodium salts (68187-30-4)	
Partition coefficient n-octanol/water	≤ -4.48 (at 20 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone	:	Not classified
Fluorinated greenhouse gases	:	No
Other information	:	No other effects known.

SECTION 13 Disposal considerations

Product/Packaging disposal recommendations	:	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	:	Handle empty containers with care because residual vapors are flammable.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

14.1. UN number

UN-No. (DOT)	:	NA1993
UN-No. (IMDG)	:	Not regulated
UN-No. (IATA)	:	Not regulated

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT)	:	Combustible liquid, n.o.s. (Benzyl alcohol and Oils, orange, sweet)
Proper Shipping Name (IMDG)	:	Not regulated
Proper Shipping Name (IATA)	:	Not regulated

14.3. Transport hazard class(es)

DOT		
Transport hazard class(es) (DOT)	:	Combustible liquid
IMDG		
Transport hazard class(es) (IMDG)	:	Not regulated
IATA		
Transport hazard class(es) (IATA)	:	Not regulated

14.4. Packing group

Packing group (DOT)	:	III
Packing group (IMDG)	:	Not regulated
Packing group (IATA)	:	Not regulated

14.5. Environmental hazards

Other information	:	No supplementary information available.
-------------------	---	---

14.6. Transport in bulk

Not applicable

UPLIFTING CITRUS COUNTER CLEAN

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

14.7. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

SECTION 15 Regulatory information


15.1. Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:	
Polyglyceryl-3 Caprate	CAS-No. 133654-02-1
Bisabolene, .beta.-	CAS-No. 495-61-4

15.2. International regulations

No additional information available

15.3. State regulations

**WARNING:**

This product can expose you to .beta.-Myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16 Other information

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2024

Revision date	: 7/8/2025
Issue date	: 7/8/2025
Other information	: None.
Prepared by	: Nexreg Compliance Inc. www.Nexreg.com



Safety Data Sheet (SDS), USA

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.